20K CAST STAINLESS STEEL, GLOBE VALVES

KITZ Fig: 20UPAM Sizes: 21/2-inch(65-mm)

BOLTED BONNET, OUTSIDE SCREW & YOKE, FLANGED ENDS.

Standards

End to End: ASME B16.10 CLASS 300End Connection: JIS B2220 20K

. Wall Thickness: ASME B16.34 CLASS 300

Test Standard . KITZ STANDARD

Approvals

(一社)日本バルブ工業会規格適合品,公共建築工事標準仕様書適合品 (機械設備工事編) 65-150 mm (21/2-6 inch)

approved

Dimensions

SIZE(inch/mm)		L	L1	Н	D1	Kg
21/2	65	292.0		295.0	200.0	
3	80	318.0		341.0	250.0	
4	100	356.0		396.0	300.0	
5	125	400.0		492.0	350.0	
6	150	444.0		563.0	400.0	

Material List

NAME OF PART	MATERIAL	SPECIFICATION
BODY	STAINLESS STEEL	A351 Gr.CF8M/SCS14A
BONNET	STAINLESS STEEL	A351 Gr.CF8M/SCS14A
STEM	STAINLESS STEEL	316SS
DISC	STAINLESS STEEL	A351 Gr.CF8M/SCS14A



20K CAST STAINLESS STEEL, GLOBE VALVES, BOLTED BONNET, OUTSIDE SCREW & YOKE, FLANGED ENDS.

End to End: ASME B16.10 CLASS 300, End Connection: JIS B2220 20K, Wall Tchickness: ASME B16.34 CLASS 300, Test Standard: KITZ STANDARD, Sizes: 21/2-inch(65-mm), Approvals: (一社) 日本バルブエ


業会規格適合品,公共建築工事標準仕様書適合品(機械設備工事編)

65-150 mm (21/2-6 inch), BODYMATERIAL :STAINLESS

STEEL, BONNETMATERIAL :STAINLESS STEEL, STEMMATERIAL :STAINLESS

STEEL, DISCMATERIAL : STAINLESS STEEL, KITZ Fig : 20UPAM





Pressure-temperature ratings and other performance data published in this catalog have been developed from our design calculation, in-house testing, field reports provided by our customers and/or published official standards or specifications. They are good only to cover typical applications as a general guideline to users of KITZ products introduced in this catalog. For any specific application, users are kindly requested to contact KITZ Corporation for technical advice, or to carry out their own study and evaluation for proving suitability of these products to such an application. Failure to follow this request could result in property damage and/or personal injury, for which we shall not be liable. Read instruction manual carefully before use.





●Aシリーズ・HAシリーズ・AJシリーズ(JIS B 2220-2004)

9H2MPa

呼I班力	10K				20K			
信取温度(代)	SCS13A	SCS14A	SC\$16A	SCS19A	SCS13A	SCS14A	SCS16A	SCS19A
~120	1.4	1.4	1.4	1.4	3.4	3.4	3.4	3.4
220	1.2	1.2	1.2	1.2	3.1	3.1	3.1	3.1
300	1.0	1.0	1.0	1.0	2.9	2.9	2.9	2.9
350	-	-	-	-	2.6	2.6	2.6	2.6
400	-	-	-	-	2.3	2.3	2.3	2.3
420	-	-	-	-	2.0	2.0	2.0	2.0

▲注意

- ●ガスケットおよびバッキン材料によって最高使用温電は変わります。上表に示しています材料ごとの最高使用温度をご確認ください。
- ●AJSリーズはジャケットの最高使用温度/圧力は260℃/1,0MPaです。これ 以上でのご使用の場合はお問合せください。

Pressure-temperature ratings and other performance data published in this catalog have been developed from our design calculation, in-house testing, field reports provided by our customers and/or published official standards or specifications. They are good only to cover typical applications as a general guideline to users of KITZ products introduced in this catalog. For any specific application, users are kindly requested to contact KITZ Corporation for technical advice, or to carry out their own study and evaluation for proving suitability of these products to such an application. Failure to follow this request could result in property damage and/or personal injury, for which we shall not be liable. Read instruction manual carefully before use.



