

## 30K STAINLESS STEEL, MINIATURE VALVES

KITZ Fig: UN3-DP-

Sizes: -

ANGLE TYPE

Standards

- . End to End: KITZ STANDARD
- . End Connection: COUPLE LOK
- . Wall Thickness: KITZ STANDARD

Test Standard

- . KITZ STANDARD

Dimensions

| SIZE | L | L1   | H    | D1   | Kg |
|------|---|------|------|------|----|
| 6    |   | 15.0 | 59.0 | 40.0 |    |
| 8    |   | 14.0 | 59.0 | 40.0 |    |
| Ø2   |   |      |      |      |    |

Material List

| NAME OF PART | MATERIAL        | SPECIFICATION |
|--------------|-----------------|---------------|
| BODY         | STAINLESS STEEL | 316SS         |
| STEM         | STEINLESS STEEL | SUS630        |

Specifications

30K STAINLESS STEEL, MINIATURE VALVES, ANGLE TYPE

End to End : KITZ STANDARD, End Connection : COUPLE LOK, Wall

Tchickness : KITZ STANDARD, Test Standard : KITZ STANDARD, Sizes : -

, BODY MATERIAL : STAINLESS STEEL, STEM MATERIAL : STEINLESS STEEL, KITZ

Fig : UN3-DP-



Pressure-temperature ratings and other performance data published in this catalog have been developed from our design calculation, in-house testing, field reports provided by our customers and/or published official standards or specifications. They are good only to cover typical applications as a general guideline to users of KITZ products introduced in this catalog. For any specific application, users are kindly requested to contact KITZ Corporation for technical advice, or to carry out their own study and evaluation for proving suitability of these products to such an application. Failure to follow this request could result in property damage and/or personal injury, for which we shall not be liable. Read instruction manual carefully before use.

# KITZ

KITZ CORPORATION 1-10-1 Nakase, Mihama-ku, Chiba 261-8577, Japan  
© KITZ Corporation. All Right Reserved.

ISO 9001  
CERTIFIED  
Since 1989